

READY-MADE FAUXWOOD BLINDS

FEATURES

- Size available: 2.0" (50mm).
- Available in both High- and Low-Profile head rails.
- Available Slats with a 300 hour UV test rating for years of trouble free use.
- Components are the same as ones used in custom blinds in the U.S.
- Cord tilter is the smoothest available in the market place.
- Cord stop meets all safety requirements for U.S.

ADDITIONAL FEATURES

- Blinds are available in up to 13 standard colors.
- Printed and embossed slats are available in Fauxwood.
- Each blind has a beveled bottom rail for better closure.
- Comes standard with a Royal Valance and valance returns. Special return sizes can be specified.
- Color-coordinated hardware.



Packaging

- Each blind comes standard in a white box with Hardware Kit packed two to a master carton. Also available in UPS shippable box.
- Blinds can also be ordered "bulk packed" which is preferred in contract applications. Bulk packing eliminates unneeded cardboard waste and allows for more efficient container packing. Contact us for more information.

Retail Packaging

- Custom packaging and labeling is available for retail applications. Blinds can be packed in generic boxes with color labels or fully customized to meet your needs.

Special Features

- Bar coding, special labeling, specific requirements, and packaging is

available. Our experienced staff can help you with your order and help you make the right choices when ordering blinds.

Programs Available

- We make it easy to order blinds directly from our factory in China. Blinds can be ordered in 20 foot or 40 foot containers directly from our factory for the best value. We also offer a "Container Add-On Program".









Average Container Packing

Fauxwood blinds:	2"	
20 ft Container	1,700	blinds
40 ft Container	2,500	blinds

Note: The amounts listed above are average quantities only. Your actual quantity may vary based on actual sizes that are ordered. Go to container packing for more details.

2" (50MM)

• HIGH-PROFILE HEAD RAIL



HEAD RAIL	DESCRIPTION	PART NO.
Type	Steel; High Profile	50404xxx
Size	58mm x 51mm x 0.5mm (W x H x T)	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	
Cord Lock Location	RHC (right hand cord); 2.5" on-center from end	
Cord Tilter Location	LHC (left hand tilt); 2.5" on-center from end	
Ladder Location	5" on-center from end	
Head Rail ID Label	Made in China	

BOTTOM RAIL	DESCRIPTION	PART NO.
Type	Fauxwood; beveled	
Size	50mm x 13.5mm	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	
Lift Cord Route Hole	5" on-center from end	
Warning Label	Attached to center of bottom rail	

SLAT	DESCRIPTION	PART NO.
Type	Fauxwood	
Size	50.8mm x 2.8mm	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	

VALANCE	DESCRIPTION	PART NO.
Type	Fauxwood, Royal Valance	
Size	84mm x 14.5 mm	
Color	Color Coordinated	
Dimensions	Cut 0.5" larger than stated blind width	

PARTS & ACCESSORIES	DESCRIPTION	PART NO.
Cord Lock	Plastic	51203000
Cord Stop	CPSC Safety Cord Stop on all lift cords	50772000
Tassels	Plastic; single tassel per cord	50912xxx
Cord Tilter	Plastic; small punch; zinc gear (4mm)	50115004
Installation Brackets	Color Coordinated	50403xxx

PARTS & ACCESSORIES – cont'd	DESCRIPTION	PART NO.
Center Support	Metal	50401000
Valance Clips	Plastic; hidden	50741000
Bottom Rail Button	Plastic, clear	50510000
Hold Down Brackets	Plastic, clear	50630000
Tape Drum	Plastic; with shoulders (4mm)	50303204
Tape Drum Support	Plastic; with roller on right	50304211
End Brace	Metal	50402000
Tilt Rod	Steel (4mm)	50803004
Ladder	44mm (spacing) x 54mm (width)	
Lift Cord	2.0mm Polyester; CPSC safety stop on all lift cords	
Cord Length	Typically 50% of drop	
Installation Brkt Screws	4.0mm x 30mm; Hex Drive	
Hold Down Brkt Screws	3.5mm x 16mm	

PACKAGE	DESCRIPTION
	Each Blind in a plastic bag;
	Each Blind in a white box with hardware accessory kit;
	All blinds packed two blinds per master carton.









LADDERS & CORDS	DESCRIPTION	<22"	22.5"	33.5"	46.5"	58.5"	70.5"+
Blind Width — up to:							
Ladders		2	3	4	5	6	7
Cords		2	2	2	3	4	4

COMPONENTS BOX	DESCRIPTION	48"	49"	61"	79"+
Blind Width — up to:					
Installation Brackets		1 pr	1 pr	1 pr	1 pr
Installation Bracket Screws		8	10	12	14
Hidden Valance Clips		2	3	3	4
Center Support		0	1	2	3
Hold Down Bracket		2	2	2	2
Hold Down Bracket Screws		4	4	4	4

2" Fauxwood - HP (rev: 08-0313)

FAUXWOOD

2" (50MM)
• LOW-PROFILE HEAD RAIL



HEAD RAIL	DESCRIPTION	PART NO.
Type	Steel; Low Profile	51404xxx
Size	58mm x 38mm x 0.5mm (W x H x T)	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	
Cord Lock Location	RHC (right hand cord); 2.5" on-center from end	
Cord Tilter Location	LHC (left hand tilt); 2.5" on-center from end	
Ladder Location	5" on-center from end	
Head Rail ID Label	Made in China	

BOTTOM RAIL	DESCRIPTION	PART NO.
Type	Fauxwood; beveled	
Size	50mm x 13.5mm	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	
Lift Cord Route Hole	5" on-center from end	
Warning Label	Attached to center of bottom rail	

SLAT	DESCRIPTION	PART NO.
Type	Fauxwood	
Size	50.8mm x 2.8mm	
Color	Color Coordinated	
Dimensions	IB = 0.5" less than stated width; OB = Net Size	

VALANCE	DESCRIPTION	PART NO.
Type	Fauxwood (standard)	
Size	65mm x 8mm	
Color	Color Coordinated	
Dimensions	Cut 0.5" larger than stated blind width	

PARTS & ACCESSORIES	DESCRIPTION	PART NO.
Cord Lock	Plastic	51203000
Cord Stop	CPSC Safety cord stop; on all lift cords	50772000
Tassels	Plastic; single tassel per cord	50912xxx
Cord Tilter	Plastic; zinc gear (4mm)	51114004
Installation Brackets	Color Coordinated	51403xxx

PARTS & ACCESSORIES – cont'd	DESCRIPTION	PART NO.
Center Support	Metal	51401000
Valance Clips	Plastic; hidden	50741000
Extrusion	for Small Valance Clip	50743000
Bottom Rail Button	Plastic	50510000
Hold Down Brackets	Plastic; clear	50630000
Tape Drum	Plastic; with shoulders (4mm)	51303204
Tape Drum Support	Plastic	51308000
End Brace	Metal	51402000
Tilt Rod	Hex (4mm)	35820004
Ladder	44mm (spacing) x 54mm (width)	
Lift Cord	2.0mm Polyester	
Cord Length	Typically 50% of drop	
Installation Brkt Screws	4.0mm x 30mm; Hex Drive	
Hold Down Brkt Screws	3.5mm x 16mm	

PACKAGE
Each Blind in a plastic bag;
Each Blind in a white box with hardware accessory kit;
All blinds packed two blinds per master carton.

LADDERS & CORDS						
Blind Width — up to:	<22"	22.5"	33.5"	46.5"	58.5"	70.5"+
Ladders	2	3	4	5	6	7
Cords	2	2	2	3	4	4

COMPONENTS BOX				
Blind Width — up to:	48"	49"	61"	79"+
Installation Brackets	1 pr	1 pr	1 pr	1 pr
Installation Bracket Screws	8	10	12	14
Hidden Valance Clips	2	3	3	4
Center Support	0	1	2	3
Hold Down Bracket	2	2	2	2
Hold Down Bracket Screws	4	4	4	4

2" Fauxwood - LP (rev: 08-0213)